


CALDARA



  
100% MADE IN ITALY

**3XL01**  
Electric, radiolucent, height adjustable stretcher  
with vertical columns



## 3XL01

### BASIC CONFIGURATION

The height-adjustable electric stretcher is a very innovative product, both for the technical features and design. The base has a solid structure, which moves on four 200 mm diameter wheels, all with central pedal brake, one with directional brake. Height adjustment takes place by means of two electric telescopic columns capable of moving simultaneously or separately to reach the TR / RTR position. They are powered by a battery and operated by a practical button panel. The lying surface of the two sections is made of radiolucent material. The head section is powered by two gas springs which allow a very precise adjustment of the backrest.

The structure is equipped with push handles and four bumpers positioned at the ends of the bed. The side rails are very practical and can be removed quickly and easily. Since this is a very particular product, it can be configured according to customers' needs, including dimensions. The electrical parts comply with current hospital safety standards.



### TECHNICAL FEATURES

The construction materials are rectangular and round square tubular furniture from Uni 7947/81 and 8913, DIN 2394, threaded bushings in AVP, flat in FE.

The structure follows a process of phospho-degreasing, rinsing and application of the powdered paint cured at 200°C, its minimum thickness is 70/80 microns. The finish is glossy.



PORTATA  
CAPACITY



PESO  
WEIGHT

### DIMENSIONS

Length: 220 cm

Width: 76 cm

Height: 66/106 cm

## MATTRESS COVER (OPT3.OW)



## AVAILABLE COLOURS



## OPTIONAL

- OPT1.OW - I.V. stand
- OPT3.OW - Removable, antistatic, antibacterial, anti-mite, breathable, fireproof, waterproof and sterilisable mattress H. 8 cm
- OPT6.OW - 4 wheels diameter of 200 mm with central brake, simultaneous conductive
- OPT7.OW - Upper surface in radiolucent carbon (when ordering please request a level of transparency 0.6 / 0.7 mm aluminum sp)
- OPT8.OW - Universal storage
- OPT9.OW - Fifth wheel diameter 125 mm



## CONFORMITY

Class 1 medical device compliant with the requirements of the EEC directive 93/42.

## NATIONAL CLASSIFICATION OF MEDICAL DEVICES (CND)

Manufacturer: CALDARA SRL

Code attributed by CALDARA SRL: 3XL01

CND classification: Y123099

Progressive number assigned by the system (RDM): 1997631/R



web link

**CALDARA SRL**

Via Trieste 31/B  
22036 Erba (CO)

Italy

PH: +39 031640896

[info@caldarasrl.it](mailto:info@caldarasrl.it)

[www.caldarasrl.it](http://www.caldarasrl.it)