

CALDARA







100% MADE IN ITALY

OW4
Height adjustable stretcher with tr/rtr



BASIC CONFIGURATION

Height adjustable structure with remarkable performance characteristics. Height movement by hydraulic pump with pedal on both sides. The innovative design makes the stretcher absolutely solid and comfortable allowing operators to comfortably perform manoeuvres to the patient. The side rails can be folded down quickly and easily. The upper surface mesh can be removed to ensure better sanitization. The structure is equipped with push handles, 4 bumpers at the corners and a universal cylinder holder. The cushion can be reclined by means of two racks which are easily operated thanks to the comfortable handle. The wheels are \varnothing 200 mm with total and simultaneous central brake; one of the 4 also has a directional block; their activation takes place via 4 lateral pedals. The joints of the structure rotate on self-lubricating sintered bushings. The stretcher can reach the Trendelenburg and anti-Trendelenburg position very quickly by using a comfortable handle located on the side of the upper surface; this allows the activation of a gas spring which guarantees a millimetric adjustment. The entire structure is painted with grey and white epoxy powders. Product with very simple and intuitive use.



TECHNICAL FEATURES

The construction materials are rectangular and round square tubular furniture from Uni 7947/81 and 8913, DIN 2394, threaded bushings in AVP, flat in FE.

Gas spring used for tr / rtr adjustment from 600N. Hydraulic pump for height adjustment dynamic thrust force 650 daN at 207 Bar / maximum static load 700 daN at 223 Bar. The structure follows a process of phospho-degreasing, rinsing and application of the powdered paint cured at 200°C, its minimum thickness is 70/80 microns. The finish is glossy.



PORTATA
CAPACITY



PESO
WEIGHT

TRENDELENBURG/ REVERSE TRENDELENBURG POSITION (TR -10 RTR +10)



MATTRESS COVER (OPT3.OW)



SFODERABILE
REMOVABLE



ANTISTATICO
ANTISTATIC



ANTIBATTERICO
ANTIBACTERIAL



ANTIACARO
ANTIACARUS



TRASPIRANTE
BREATHABLE



IGNIFUGO
FIREPROOF



134°
MAX. 7 MIN
STERILIZZABILE
STERILIZABLE



8CM
SPESSORE
THICKNESS



IMPERMEABILE
WATERPROOF

AVAILABLE COLOURS



OPTIONAL

- OPT1.OW - IV pole
- OPT3.OW - Removable, antistatic, antibacterial, anti-mite, breathable, fireproof, waterproof and sterilisable mattress H. 8 cm



CONFORMITY

Class 1 medical device compliant with the requirements of the EEC directive 93/42.

NATIONAL CLASSIFICATION OF MEDICAL DEVICES (CND)

Manufacturer: CALDARA SRL

Code attributed by CALDARA SRL: OW4

CND classification: Y123099

Progressive number assigned by the system (RDM): 1941365/R



web link

CALDARA SRL

Via Trieste 31/B
22036 Erba (CO)

Italy

PH: +39 031640896

info@caldarasrl.it

www.caldarasrl.it