

TF3XL1

BASIC CONFIGURATION

The bed is made of metal with remarkable performance characteristics that guarantee stability and sturdiness. It comes with this innovative line that makes it very comfortable and easy to use for the operator. The cushions can be reclined by means of a gas spring, operated thanks to the ergonomic levers placed under the upper frame. The inclination of the headboard is + 70° in positive and -35 ° in negative, a facial hole is supplied. The inclination of the leg cushion is + 80 ° in positive. The two columns allow electric height adjustment. The devices that allow adjustment in addition to the pedal can be a push button panel or two perimetral bars (perimetral control) on the right and left, very comfortable; their length is equal to 1 m.

The high-density rubber padded top is covered in coated fabric (skai, imitation leather) fireproof class 1 IM washable with common detergents on the market. The structure is equipped with a roll holder. There are 4 adjustable feet.

The electrical parts comply with the regulations in force in the hospital field.



TECHNICAL FEATURES

The construction materials are square, rectangular and round furniture tubes Uni 7947/81 and 8913, DIN 2394, threaded bushes in AVP, flat in FE. The structure follows a process of phospho-degreasing, rinsing and application of the polymerized powder paint at 200 °C, its minimum thickness is 70/80 microns. The finish is glossy.

Electric vertical columns 2000N each / 1. 600N gas spring.

DIMENSIONS:

Headboard section: 65 cm

Central section: 30 cm

Leg section: 94.5 cm

Standard width: 68cm

NB: it is possible to request the bed with a width other than the standard ones (80cm/100cm/120cm)



PORTATA CAPACITY



PESO WEIGHT

PADDING

The padding is in high-density rubber, its cover is in coated fabric (skai, imitation leather), fire-retardant class 1 IM, washable with common detergents on the market.





OPTIONAL

- OPT4.3XL Adjustable armrests
- OPT1.3XL37 Folding side handles
- OPT3.3XL Retractable wheels kit



AVAILABLE COLOURS





AVAILABLE COMMANDS

- K Single pedal unit (height adjustment 50-94)
- H Double pedal unit (height adjustment 50/94 tr / rtr adjustment)
- J Perimetral control (height adjustment 50-94)
- Z1 Push button panel (height adjustment 50-94)

CONFORMITY

Class 1 medical device complying with the requirements of the EEC directive 93/42.

Manufacturer: CALDARA SRL

Code attributed by CALDARA SRL: TF3XL1



web link

CALDARA SRL Via Trieste 31/B 22036 Erba (CO) Italy Ph: +39 031640896 info@caldarasrl.it www.caldarasrl.it